

DOORS

NABRICO doors are made from a zinc primed mild steel and are offered in several styles including 4 dog, 6 dog, quick acting and lever arm. Any of our doors can be customized to fit your needs. Some options include aluminum or stainless steel construction, varied custom sizing or different portlight options. Our standard listing of steel dogged doors are ABS Type Approved and typically in stock for a fast turnaround. Every door NABRICO makes is built to meet ABS standards and can be ABS Type Approved as well.

DOORS

4 DOG.....	92
6 DOG	93
6 DOG W/ PORTLIGHT	94
QUICK ACTING	95
4 DOG LEVER ARM.....	96
6 DOG LEVER ARM	97

PORT LIGHTS

MODEL 400 FIXED LIGHT	98
MODEL 500 FIXED LIGHT	99
MODEL 600 FIXED LIGHT	100
MODEL 700 PORTLIGHT	101
MODEL 800 PORTLIGHT	102
MODEL 900 FIXED LIGHT	103



ORIENTATION


PROUD DISTRIBUTOR OF 
NABRICO

brtmarine.com 800-725-3787



The specifications and details described by drawings or text in this literature are subject to change without notice.


4 DOG WEATHERTIGHT DOOR



The door shown in the drawing is considered a left hand door with the hinge area positioned on the left side.

A right hand door would be the opposite with the hinge area positioned on the right side.

A standard door has a 3/8" frame and 1/4" panel. Most doors are available as BW (blue water), which has a 3/8" frame and 5/16" panel.



LEFT HAND 4 DOG DOOR SPECIFICATION TABLE

MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD.	
DF-605-2460	100875	24x60	24"	60"	27"	63"	9.5"	290
DF-605-2464	100980	24x64	24"	64"	27"	67"	9.5"	310
DF-605-2472	100877	24x72	24"	72"	27"	75"	9.5"	330
DF-605-2660	100185	26x60	26"	60"	29"	63"	9.5"	320
DF-605-2866	100851	28x66	28"	66"	31"	69"	9.5"	350
DF-605-2872	100977	28x72	28"	72"	31"	75"	9.5"	385
DF-605-3054	100856	30x54	30"	54"	33"	57"	9.5"	310
DF-605-3060	100193	30x60	30"	60"	33"	63"	9.5"	350
DF-605-3072	100990	30x72	30"	72"	33"	75"	9.5"	400
DF-605-3666	100862	36x66	36"	66"	39"	69"	9.5"	410
DF-605-3672	100868	36x72	36"	72"	39"	75"	9.5"	450

RIGHT HAND 4 DOG DOOR SPECIFICATION TABLE

MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD.	
DF-605-2460	100182	24x60	24"	60"	27"	63"	9.5"	290
DF-605-2464	100981	24x64	24"	64"	27"	67"	9.5"	310
DF-605-2472	100878	24x72	24"	72"	27"	75"	9.5"	330
DF-605-2660	100186	26x60	26"	60"	29"	63"	9.5"	320
DF-605-2866	100852	28x66	28"	66"	31"	69"	9.5"	350
DF-605-2872	100978	28x72	28"	72"	31"	75"	9.5"	385
DF-605-3054	100857	30x54	30"	54"	33"	57"	9.5"	310
DF-605-3060	100194	30x60	30"	60"	33"	63"	9.5"	350
DF-605-3072	100991	30x72	30"	72"	33"	75"	9.5"	400
DF-605-3666	100863	36x66	36"	66"	39"	69"	9.5"	410
DF-605-3672	100869	36x72	36"	72"	39"	75"	9.5"	450

No.	DESCRIPTION	MATERIAL
1	DOOR PANEL ASSEMBLY	STEEL
2	COAMING ASSEMBLY	STEEL
3	STIFFENER BAR	STEEL
4	DOOR GASKET	NEOPRENE
5	DOGGING HANDLE ASSEMBLY	STEEL
6	HINGE PIN ASSEMBLY	STAINLESS
7	GRAB HANDLE	STEEL
8	LOCKING HASP	STEEL
9	STRAIGHT HANDLE	STEEL
10	HANDLE SHAFT	STEEL
11	JAM NUT	STEEL
12	BUSHING	NYLON
13	PACKING	GRAPHITE
14	DOGGING HANDLE	STEEL
15	DOOR CENTERING LUG	STEEL



brtmarine.com 800-725-3787



PROUD DISTRIBUTOR OF
NABRICO

The specifications and details described by drawings or text in this literature are subject to change without notice.

6 DOG WEATHERTIGHT DOOR

The door shown in the drawing is considered a left hand door with the hinge area positioned on the left side.

A right hand door would be the opposite with the hinge area positioned on the right side.



LEFT HAND 6 DOG DOOR SPECIFICATION TABLE								
MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD	
DF-600-2454	100114	24x54	24"	54"	27"	57"	9.5"	297
DF-600-2460	100116	24x60	24"	60"	27"	63"	9.5"	317
DF-600-2472	100120	24x72	24"	72"	27"	75"	9.5"	336
DF-600-2866	100127	28x66	28"	66"	31"	69"	9.5"	360
DF-600-2872	100131	28x72	28"	72"	31"	75"	9.5"	392
DF-600-3054	100134	30x54	30"	54"	33"	57"	9.5"	315
DF-600-3060	100138	30x60	30"	60"	33"	63"	9.5"	360
DF-600-3066	100197	30x66	30"	66"	33"	69"	9.5"	370
DF-600-3072	100143	30x72	30"	72"	33"	75"	9.5"	410
DF-600-3666	100148	36x66	36"	66"	39"	69"	9.5"	420
DF-600-3672	100152	36x72	36"	72"	39"	75"	9.5"	460

RIGHT HAND 6 DOG DOOR SPECIFICATION TABLE								
MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD	
DF-600-2454	100115	24x54	24"	54"	27"	57"	9.5"	297
DF-600-2460	100117	24x60	24"	60"	27"	63"	9.5"	317
DF-600-2472	100121	24x72	24"	72"	27"	75"	9.5"	336
DF-600-2866	100128	28x66	28"	66"	31"	69"	9.5"	360
DF-600-2872	100132	28x72	28"	72"	31"	75"	9.5"	392
DF-600-3054	100135	30x54	30"	54"	33"	57"	9.5"	315
DF-600-3060	100139	30x60	30"	60"	33"	63"	9.5"	360
DF-600-3066	100142	30x66	30"	66"	33"	69"	9.5"	370
DF-600-3072	100144	30x72	30"	72"	33"	75"	9.5"	410
DF-600-3666	100149	36x66	36"	66"	39"	69"	9.5"	420
DF-600-3672	100153	36x72	36"	72"	39"	75"	9.5"	460

No.	DESCRIPTION	MATERIAL
1	DOOR PANEL ASSEMBLY	STEEL
2	COAMING ASSEMBLY	STEEL
3	STIFFENER BAR	STEEL
4	DOOR GASKET	NEOPRENE
5	DOGGING HANDLE ASSEMBLY	STEEL
6	HINGE PIN ASSEMBLY	STAINLESS
7	GRAB HANDLE	STEEL
8	LOCKING HASP	STEEL
9	STRAIGHT HANDLE	STEEL
10	HANDLE SHAFT	STEEL
11	JAM NUT	STEEL
12	BUSHING	NYLON
13	PACKING	GRAPHITE
14	DOGGING HANDLE	STEEL
15	DOOR CENTERING LUG	STEEL


PROUD DISTRIBUTOR OF
NABRICO

brtmarine.com 800-725-3787




The specifications and details described by drawings or text in this literature are subject to change without notice.

DOOR WITH FIXED PORTLIGHT



No.	DESCRIPTION	MATERIAL
1	DOOR PANEL ASSEMBLY	STEEL
2	COAMING ASSEMBLY	STEEL
3	STIFFENER BAR	STEEL
4	DOOR GASKET	NEOPRENE
5	DOGGING HANDLE ASSEMBLY	STEEL
6	HINGE PIN ASSEMBLY	STAINLESS
7	GRAB HANDLE	STEEL
8	LOCKING HASP	STEEL
9	STRAIGHT HANDLE	STEEL
10	HANDLE SHAFT	STEEL
11	JAM NUT	STEEL
12	BUSHING	NYLON
13	PACKING	GRAPHITE
14	DOGGING HANDLE	STEEL
15	DOOR CENTERING LUG	STEEL
16	10" FIXED PORTLIGHT	STEEL



The door shown in the drawing is considered a left hand door with the hinge area positioned on the left side.

A right hand door would be the opposite with the hinge area positioned on the right side.

RIGHT HAND 6 DOG DOOR SPECIFICATION TABLE

MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD	
DF-600-3054	100191	30x54	30"	54"	33"	57"	9.5"	330
DF-600-3060	100196	30x60	30"	60"	33"	63"	9.5"	380

LEFT HAND 6 DOG DOOR SPECIFICATION TABLE

MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD	
DF-600-3054	100190	30x54	30"	54"	33"	57"	9.5"	330
DF-600-3060	100195	30x60	30"	60"	33"	63"	9.5"	380

All nabrico door styles are available with a variety of different types and sizes of portlights. A few of the most common types are listed in the tables below but are in no way restricted to what is called out on this page. Some of the available options include: weld-in or bolt-on, fixed or non-fixed and with covers. Please refer to the portlight section of this catalog for all types and sizes available from nabrico.

"If you watch a game, it's fun. If you play at it, it's recreation. If you work at it, it's golf."

—Bob Hope



brtmarine.com 800-725-3787



PROUD DISTRIBUTOR OF
NABRICO

The specifications and details described by drawings or text in this literature are subject to change without notice.

QUICK ACTING WEATHERTIGHT DOOR

The door shown in the drawing is considered a left hand door with the hinge area positioned on the left side.

A right hand door would be the opposite with the hinge area positioned on the right side.



DETAIL OF DOG ARM
HINGE AREA

DETAIL OF SWIVEL
GUIDE AREA

LEFT HAND QUICK ACTING DOOR SPECIFICATION TABLE								
MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD	
DF-610-2460	100118	24x60	24"	60"	27"	63"	9.5"	437
DF-610-2472	100122	24x72	24"	72"	27"	75"	9.5"	451
DF-610-2866	100129	28x66	28"	66"	31"	69"	9.5"	448
DF-610-2872	100133	28x72	28"	72"	31"	75"	9.5"	526
DF-610-3054	100136	30x54	30"	54"	33"	57"	9.5"	433
DF-610-3060	100140	30x60	30"	60"	33"	63"	9.5"	480
DF-610-3072	100198	30x72	30"	72"	33"	75"	9.5"	500
DF-610-3666	100150	36x66	36"	66"	39"	69"	9.5"	535
DF-610-3672	100154	36x72	36"	72"	39"	75"	9.5"	579

RIGHT HAND QUICK ACTING DOOR SPECIFICATION TABLE								
MODEL No.	PART No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
					A	B	RAD	
DF-610-2460	100119	24x60	24"	60"	27"	63"	9.5"	437
DF-610-2472	100124	24x72	24"	72"	27"	75"	9.5"	451
DF-610-2866	100130	28x66	28"	66"	31"	69"	9.5"	448
DF-610-2872	100187	28x72	28"	72"	31"	75"	9.5"	526
DF-610-3054	100192	30x54	30"	54"	33"	57"	9.5"	433
DF-610-3060	100141	30x60	30"	60"	33"	63"	9.5"	480
DF-610-3072	100145	30x72	30"	72"	33"	75"	9.5"	500
DF-610-3666	100151	36x66	36"	66"	39"	69"	9.5"	535
DF-610-3672	100155	36x72	36"	72"	39"	75"	9.5"	579

No.	DESCRIPTION	MATERIAL
1	DOOR PANEL ASSEMBLY	STEEL
2	COAMING ASSEMBLY	STEEL
3	DOG ARM	STAINLESS
4	STIFFENER BAR	STEEL
5	HINGE PIN ASSEMBLY	STAINLESS
6	HANDWHEEL ASSEMBLY	STEEL
7	CENTER SHAFT	STAINLESS
8	JAM NUT	STAINLESS
9	SWIVEL GUIDE ASSEMBLY	-
10	DOOR GASKET	NEOPRENE
11	GRAB HANDLE	STEEL
12	LOCKING HASP	STEEL
13	DOOR CENTERING LUG	STEEL
14	BUSHING	NYLON
15	PACKING	GRAPHITE
16	DOG ARM PIN	STEEL
17	ROTATING BLOCK ASSEMBLY	STEEL
18	ADJUSTMENT BUTTON	STEEL
19	SWIVEL GUIDE	BRASS
20	GREASE FITTING	STAINLESS
21	SWIVEL GUIDE SPRING	STAINLESS


PROUD DISTRIBUTOR OF
NABRICO

brtmarine.com 800-725-3787




The specifications and details described by drawings or text in this literature are subject to change without notice.

SINGLE LEVER (4 DOG) WEATHERTIGHT



The door shown in the drawing is considered a left hand door with the hinge area positioned on the left side.

A right hand door would be the opposite with the hinge area positioned on the right side.



LEFT HAND SINGLE LEVER (4 DOG) DOOR SPECIFICATION TABLE

MODEL No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
				A	B	RAD	
DF-635-2460	24x60	24"	60"	27"	63"	9.5"	432
DF-635-2472	24x72	24"	72"	27"	75"	9.5"	446
DF-635-2866	28x66	28"	66"	31"	69"	9.5"	443
DF-635-2872	28x72	28"	72"	31"	75"	9.5"	521
DF-635-3054	30x54	30"	54"	33"	57"	9.5"	428
DF-635-3060	30x60	30"	60"	33"	63"	9.5"	475
DF-635-3072	30x72	30"	72"	33"	75"	9.5"	495
DF-635-3666	36x66	36"	66"	39"	69"	9.5"	530
DF-635-3672	36x72	36"	72"	39"	75"	9.5"	574

No.	DESCRIPTION	MATERIAL
1	DOOR PANEL ASSEMBLY	STEEL
2	COAMING ASSEMBLY	STEEL
3	STIFFENER BAR	STEEL
4	DOG LEVER ASSEMBLY	STAINLESS
5	DOG CONNECTOR BAR	STAINLESS
6	HINGE PIN ASSEMBLY	STAINLESS
7	HAND LEVER ASSEMBLY	STAINLESS
8	DOOR GASKET	NEOPRENE
9	BUSHING	NYLON
10	GREASE FITTING	STAINLESS
11	DOOR CENTERING LUG	STEEL
12	LOCKING HASP	STEEL

RIGHT HAND SINGLE LEVER (4 DOG) DOOR SPECIFICATION TABLE

MODEL No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
				A	B	RAD	
DF-635-2460	24x60	24"	60"	27"	63"	9.5"	432
DF-635-2472	24x72	24"	72"	27"	75"	9.5"	446
DF-635-2866	28x66	28"	66"	31"	69"	9.5"	443
DF-635-2872	28x72	28"	72"	31"	75"	9.5"	521
DF-635-3054	30x54	30"	54"	33"	57"	9.5"	428
DF-635-3060	30x60	30"	60"	33"	63"	9.5"	475
DF-635-3072	30x72	30"	72"	33"	75"	9.5"	495
DF-635-3666	36x66	36"	66"	39"	69"	9.5"	530
DF-635-3672	36x72	36"	72"	39"	75"	9.5"	574

"I don't know if I can live on my income or not--the government won't let me try it."

—Bob Thaves



brtmarine.com 800-725-3787


PROUD DISTRIBUTOR OF
NABRICO

The specifications and details described by drawings or text in this literature are subject to change without notice.

SINGLE LEVER (6 DOG) WEATHERTIGHT


The door shown in the drawing is considered a left hand door with the hinge area positioned on the left side.

A right hand door would be the opposite with the hinge area positioned on the right side.



LEFT HAND SINGLE LEVER (6 DOG) DOOR SPECIFICATION TABLE							
MODEL No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
				A	B	RAD	
DF-630-2460	24x60	24"	60"	27"	63"	9.5"	437
DF-630-2472	24x72	24"	72"	27"	75"	9.5"	451
DF-630-2866	28x66	28"	66"	31"	69"	9.5"	448
DF-630-2872	28x72	28"	72"	31"	75"	9.5"	526
DF-630-3054	30x54	30"	54"	33"	57"	9.5"	433
DF-630-3060	30x60	30"	60"	33"	63"	9.5"	480
DF-630-3072	30x72	30"	72"	33"	75"	9.5"	500
DF-630-3666	36x66	36"	66"	39"	69"	9.5"	535
DF-630-3672	36x72	36"	72"	39"	75"	9.5"	579

RIGHT HAND SINGLE LEVER (6 DOG) DOOR SPECIFICATION TABLE							
MODEL No.	SIZE	A	B	CUT-OUT DIMS.			WGT LBS.
				A	B	RAD	
DF-630-2460	24x60	24"	60"	27"	63"	9.5"	437
DF-630-2472	24x72	24"	72"	27"	75"	9.5"	451
DF-630-2866	28x66	28"	66"	31"	69"	9.5"	448
DF-630-2872	28x72	28"	72"	31"	75"	9.5"	526
DF-630-3054	30x54	30"	54"	33"	57"	9.5"	433
DF-630-3060	30x60	30"	60"	33"	63"	9.5"	480
DF-630-3072	30x72	30"	72"	33"	75"	9.5"	500
DF-630-3666	36x66	36"	66"	39"	69"	9.5"	535
DF-630-3672	36x72	36"	72"	39"	75"	9.5"	579



No.	DESCRIPTION	MATERIAL
1	DOOR PANEL ASSEMBLY	STEEL
2	COAMING ASSEMBLY	STEEL
3	STIFFENER BAR	STEEL
4	DOG LEVER ASSEMBLY	STAINLESS
5	DOG CONNECTOR BAR	STAINLESS
6	HINGE PIN ASSEMBLY	STAINLESS
7	HAND LEVER ASSEMBLY	STAINLESS
8	DOOR GASKET	NEOPRENE
9	BUSHING	NYLON
10	GREASE FITTING	STAINLESS
11	DOOR CENTERING LUG	STEEL
12	LOCKING HASP	STEEL

"Son, you've got a good engine, but your hands aren't on the steering wheel."

—Bobby Bowden

PROUD DISTRIBUTOR OF
NABRICO

brtmarine.com 800-725-3787






The specifications and details described by drawings or text in this literature are subject to change without notice.

MODEL 400 - WELD IN FIXED LIGHT

PIECE No.	DESCRIPTION	STEEL LIGHT	SS LIGHT	ALUMINUM LIGHT
1	FRAME	STEEL	STAINLESS	ALUMINUM
2	GLASS	TEMPERED SAFETY GLASS		
3	GASKET	NEOPRENE		
4	RETAINING RING	BRASS		

MODEL No.	SIZE	ØA	ØB (STEEL AND SS)	ØB (ALUM)	C (STEEL AND SS)	C (ALUM)	D (STEEL AND SS)	D (ALUM)	E
400	8"	7-7/8"	9-1/4"	9-3/8"	1-1/2"	1-45/64"	19/64"	23/64"	3/4"
400	10"	9-27/32"	11-7/32"	11-11/32"	1-1/2"	1-45/64"	19/64"	23/64"	3/4"
400	12"	11-13/16"	13-15/32"	13-19/32"	1-1/2"	1-45/64"	11/32"	25/64"	3/4"
400	14"	13-25/32"	15-7/16"	15-9/16"	1-1/2"	1-45/64"	11/32"	25/64"	3/4"
400	16"	15-3/4"	17-13/32"	17-17/32"	1-1/2"	1-45/64"	11/32"	25/64"	3/4"
400	18"	17-23/32"	19-3/8"	19-1/2"	1-1/2"	1-45/64"	11/32"	25/64"	3/4"



"The purpose of a tax cut is to leave more money where it belongs: in the hands of the working men and working women who earned it in the first place."

—Bob Dole



brtmarine.com 800-725-3787


PROUD DISTRIBUTOR OF
NABRICO

The specifications and details described by drawings or text in this literature are subject to change without notice.

MODEL 500 - BOLT-ON FIXED LIGHT

PIECE No.	DESCRIPTION	STEEL LIGHT	SS LIGHT	ALUM LIGHT	BRASS LIGHT
1	FRAME	STEEL	STAINLESS	ALUMINUM	BRASS
2	GLASS	TEMPERED SAFETY GLASS			
3	GASKET	NEOPRENE			
4	RETAINING RING	BRASS			

MODEL No.	SIZE	ØA	ØB	C (STEEL, SS, BRASS)	C (ALUM)	D (STEEL, SS, BRASS)	D (ALUM)	E	ØF (STEEL, SS, BRASS)	ØF (ALUM)	ØG	H (HOLES & SIZE)
500	4"	3-15/16"	6-11/16"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	5-13/64"	5-21/64"	5-55/64"	6, 5/16"
500	6"	5-29/32"	8-1/2"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	7-5/32"	7-9/32"	7-33/64"	6, 5/16"
500	7"	7-5/64"	9-3/4"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	8-23/64"	8-15/32"	8-55/64"	6, 5/16"
500	8"	7-7/8"	11"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	9-1/8"	9-1/4"	10-3/8"	8, 5/16"
500	10"	9-27/32"	13-7/32"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	11-7/64"	11-7/32"	12-1/4"	8, 5/16"
500	12"	11-13/16"	15-15/64"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	13-17/64"	13-3/8"	14-1/4"	12, 5/16"
500	14"	13-25/32"	18-15/64"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	15-15/64"	15-23/64"	17"	12, 5/16"
500	16"	15-3/4"	20-5/8"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	17-13/64"	17-21/64"	18-7/8"	12, 3/8"
500	18"	17-23/32"	22-41/64"	1-9/16"	1-21/32"	15/64"	19/64"	3/4"	19-11/64"	19-19/64"	20-7/8"	16, 3/8"



"Socialism is when government's taking care of you, you send all your money to the government, the government decides how to spend it instead of letting the people spend it and make all those decisions."

—Bob Latta

PROUD DISTRIBUTOR OF
NABRICO

brtmarine.com 800-725-3787





The specifications and details described by drawings or text in this literature are subject to change without notice.

MODEL 600 - BOLT-ON FIXED LIGHT W/ COVER

PIECE No.	DESCRIPTION	STEEL LIGHT	SS LIGHT	ALUMINUM LIGHT	BRASS LIGHT
1	COVER	SPECIFY			
2	COVER GASKET	NEOPRENE			
3	RETAININ G RING	BRASS			
4	HINGE PIN	STAINLESS			
5	GLASS GASKET	NEOPRENE			
6	GLASS	TEMPERED SAFETY GLASS			
7	FRAME ASSEMBLY	STEEL	STAINLESS	ALUMINUM	BRASS
8	BELL NUT	BRASS, CHROME PL			
9	DROP BOLT	BRASS, CHROME PL			
10	DROP BOLT PIN	STAINLESS			

MODEL No.	SIZE	ØA	ØB	C	ØD	E	ØF	G (#HOLES & SIZE)
600	8"	7-7/8"	13-25/32"	1/2"	9-55/64"	3/4"	12-13/64"	8, 35/64"
600	10"	9-27/32"	15-3/4"	1/2"	12"	3/4"	14-21/64"	8, 35/64"
600	12"	11-13/16"	17-23/32"	1/2"	14-11/64"	3/4"	16-19/64"	12, 35/64"
600	14"	13-25/32"	19-11/16"	5/8"	16-9/64"	3/4"	18-17/64"	12, 45/64"
600	16"	15-3/4"	21-21/32"	5/8"	18-7/64"	3/4"	20-15/64"	12, 45/64"
600	18"	17-23/32"	23-5/8"	5/8"	20-1/16"	3/4"	22-13/64"	12, 55/64"



"I don't fear death, but I sure don't like those three-footers for par."

—Chi Chi Rodriguez



brtmarine.com 800-725-3787



PROUD DISTRIBUTOR OF
NABRICO

The specifications and details described by drawings or text in this literature are subject to change without notice.

MODEL 700 - WELD IN PORTLIGHT

PIECE No.	DESCRIPTION	STEEL LIGHT	SS LIGHT	ALUMINUM LIGHT	BRASS LIGHT
1	COVER	ALUMINUM			
2	COVER GASKET	NEOPRENE			
3	GLASS FRAME ASSEMBLY	STEEL	STAINLESS	ALUMINUM	BRASS
4	GLASS FRAME GASKET	NEOPRENE			
5	HINGE PIN	STAINLESS			
6	GLASS GASKET	NEOPRENE			
7	VIEWING GLASS	TEMPERED SAFETY GLASS			
8	REMOVABLE SCREEN	BRASS			
9	COAMING ASSEMBLY	STEEL	STAINLESS	ALUMINUM	BRASS
10	BELL NUT	BRASS, CHROME PL			
11	DROP BOLT	BRASS, CHROME PL			
12	DROP BOLT PIN	STAINLESS			

MODEL No.	SIZE	ØA	ØB	C	D	E	F
700	8"	7-7/8"	9-27/32"	4"	3/4"	1-1/4"	25/64"
700	10"	9-27/32"	12"	4"	3/4"	1-1/4"	25/64"
700	12"	11-13/16"	14-11/64"	4"	3/4"	1-1/4"	25/64"
700	14"	13-25/32"	16-9/64"	4"	3/4"	1-1/4"	25/64"
700	16"	15-3/4"	18-7/64"	4"	3/4"	1-1/4"	25/64"
700	18"	17-23/32"	20"	4"	3/4"	1-1/4"	25/64"



"The film looks suspiciously like the game itself."

—Bum Phillips

PROUD DISTRIBUTOR OF
NABRICO

brtmarine.com 800-725-3787





The specifications and details described by drawings or text in this literature are subject to change without notice.

MODEL 800 - BOLT-ON PORTLIGHT

PIECE No.	DESCRIPTION	STEEL LIGHT	SS LIGHT	ALUM LIGHT	BRASS LIGHT
1	COVER	SPECIFY			
2	COVER GASKET	NEOPRENE			
3	GLASS FRAME ASSEMBLY	STEEL	STAINLESS	ALUMINUM	BRASS
4	GLASS FRAME GASKET	NEOPRENE			
5	HINGE PIN	STAINLESS			
6	GLASS GASKET	NEOPRENE			
7	VIEWING GLASS	TEMPERED SAFETY GLASS			
8	RETAINING RING	BRASS			
9	COAMING ASSEMBLY	STEEL	STAINLESS	ALUMINUM	BRASS
10	BELL NUT	BRASS, CHROME PL			
11	DROP BOLT	BRASS, CHROME PL			
12	DROP BOLT PIN	STAINLESS			

MODEL No.	SIZE	ØA CLEAR VIEW	ØB	C	ØD	E	ØF (B.C.)	G (#HOLES & SIZE)
800	8"	7-7/8"	13-25/32"	1/2"	9-55/64"	3/4"	12-13/64"	8 HOLES, 35/64"
800	10"	9-27/32"	15-3/4"	1/2"	12"	3/4"	14-21/64"	8 HOLES, 35/64"
800	12"	11-13/16"	17-23/32"	1/2"	14-11/64"	3/4"	16-19/64"	12 HOLES, 35/64"
800	14"	13-25/32"	19-11/16"	5/8"	16-9/64"	3/4"	18-17/64"	12 HOLES, 45/64"
800	16"	15-3/4"	21-21/32"	5/8"	18-7/64"	3/4"	20-15/64"	12 HOLES, 45/64"
800	18"	17-23/32"	23-5/8"	5/8"	20-1/16"	3/4"	22-13/64"	12 HOLES, 55/64"



"My advice to defensive players is to take the shortest route to the ball, and arrive in a bad humor."

—Bowden Wyatt



brtmarine.com 800-725-3787

PROUD DISTRIBUTOR OF
NABRICO



The specifications and details described by drawings or text in this literature are subject to change without notice.

MODEL 900 - WELD – IN FIXED LIGHT W/ COVER

BR

PIECE No.	DESCRIPTION	STEEL LIGHT	SS LIGHT	ALUMINUM LIGHT	BRASS LIGHT
1	COVER	SPECIFY			
2	COVER GASKET	NEOPRENE			
3	RETAINING RING	BRASS			
4	HINGE PIN	STAINLESS			
5	GLASS GASKET	NEOPRENE			
6	GLASS	TEMPERED SAFETY GLASS			
7	FRAME ASSEMBLY	STEEL	STAINLESS	ALUMINUM	BRASS
8	BELL NUT	BRASS, CHROME PL			
9	DROP BOLT	BRASS, CHROME PL			
10	DROP BOLT PIN	STAINLESS			

MODEL No.	SIZE	ØA	ØB	C	D	E	F
900	8"	7-7/8"	9-27/32"	4"	3/4"	1-1/4"	25/64"
900	10"	9-27/32"	12"	4"	3/4"	1-1/4"	25/64"
900	12"	11-13/16"	14-11/64"	4"	3/4"	1-1/4"	25/64"
900	14"	13-25/32"	16-9/64"	4"	3/4"	1-1/4"	25/64"
900	16"	15-3/4"	18-7/64"	4"	3/4"	1-1/4"	25/64"
900	18"	17-23/32"	20"	4"	3/4"	1-1/4"	25/64"



DOORS

"Solar power is the last energy resource that isn't owned yet--nobody taxes the sun yet."

—Bonnie Raitt

PROUD DISTRIBUTOR OF
NABRICO

brtmarine.com 800-725-3787



The specifications and details described by drawings or text in this literature are subject to change without notice.



“If it were not for the reporters, I would tell you the truth.”

—Chester A. Arthur

brtmarine.com 800-725-3787

PROUD DISTRIBUTOR OF  **NABRICO**